

***NATURALLY
ARTIFICIAL TURF!***



***Installation instructions for
artificial turf***

1. Preparing the base

- » Remove the natural grass (calculate additional 10–15 mm, for a damping mat if also being laid).
- » Treat the area with a herbicide solution
- » Fill-in any hollows with sand and smooth-out any raised or uneven areas
- » In clay soil: Spread a layer of gravel or fine gravel
- » Compact the surface with a roller. The surface must be even with the top of the adjoining surface.



2. Laying of the artificial turf

- » Remove all deposits and dust
- » Roll out the weed barrier / fleece layer so that it covers the entire laying surface and cut it to size (the fleece layer prevents weeds from growing and facilitates the work on the planned area (optional: measure and cut a damping mat).
- » Roll out the artificial turf
- » Use a sharp knife to remove the start and the end of a role
- » Artificial turf must be installed and laid in strips (pay attention to the correct fibre direction)
- » The fibres should ideally be in the main direction of from which the artificial turf lawn will be viewed.



3. Processing the seams

- » Fold back the edge of the yarn (30cm) along the seam.
- » Roll up the back-up-tape centrally along the seam – adhesive side up (mark the edge of the yarn as required).
- » Remove the protective film.
- » Fold back the first side of the surface, then the second.
- » The strips of the turf must be flush. Pay very close attention that the seams are as close to one another as possible and necessary. The turf must however not overlap!
- » Tread down the turf along the seam (with sufficient weight, apply the weight only vertically).



5. Final steps

- » Rake very carefully against the fibre direction.
- » Use special equipment for large surfaces (brushing machines).
- » Slight watering in order to rinse off the fibres.



**NATURALLY
ARTIFICIAL TURF!**